


Parijat ActiveX/32 for Profibus DP-M via SS-Tech 5136-PFB



PCI-Profi-SS-ACTX

Developed using state of the art Microsoft MFC4 technology for enhanced throughput and low overhead, Parijat's PLC communication 32-bit ActiveX custom controls, acquires data via profibus using 5136-PFB board from S-S technologies. Master functions are supported. Read analog and digital type point records. Manipulate properties using our custom property sheets for utmost user-friendliness at design time. Rapid exception processing is available with our CompareInfo method. ActiveX's are very fast and also do not require significant Windows resources as DDE drivers or servers do.

Methods: Refresh CompareInfo

Events: Outcome (fires when communication transaction completes)

Throughput: Microseconds order performance.

This product works with:

Microsoft Visual Basic, Visual C++/J++ , Office97, Foxpro95 or any other OLE container.

Features:

- Complete context-sensitive help & built-in manual.
- Can control upto 126 Slaves.
- Upto 244 Input/Output bytes per slave and 16k total for all the slaves.

We also develop custom Windows products and applications with PLC's, MS Visual Basic, as well. We can also develop any ActiveX that you may need developed for a specific purpose. We also have an GUI MMI software(Visual Process) written in VB which provides basic SCADA monitoring, alarming, trending, reporting. With Visual Process, any CAD drawings, manuals, vendor data sheets, instrument spec sheets, instrument calibration sheets or any other documentation associated with control systems may also be integrated with the MMI/SCADA system to help attain the ISO9000 certification!

12/ 97